



The Set-up consists of two sided clear fabrication. Water is fed through a nozzle and discharged vertically to strike a target carried on a stem, which extends through the cover. A weight carrier is mounted on the upper end of the stem. The dead weight of the moving parts is counter balanced by a compression spring. The vertical force exerted on the target plate is measured by adding the weights supplied to the weight pan until the mark on the weight pan corresponds with the level gauge. A total of two targets are provided a flat plat and a hemispherical cup.

#### EXPERIMENTS:

- To measure the force developed by a jet of water impinging upon a different targets (Hemispherical & Flat Plate) and comparison with the forces predicted by the momentum theory.

#### UTILITIES REQUIRED:

- Water Supply & Drain
- Electricity Supply: Single Phase, 220 VAC, 0.5 kW

#### TECHNICAL SPECIFICATION:

- Test Plates : Material Brass (2 Nos.)
  1. Flat Plate
  2. Hemispherical Cup
- Nozzle : Material Brass
- Stainless Steel Chamber : Having of opposite sides made of glass
- Water Circulation : FHP Pump, Crompton / Sharp make
- Flow Measurement : Using Measuring Tank with Piezometer, Capacity 40 Ltrs.
- Sump Tank : Capacity 60 Ltrs.
- Stop Watch : Electronic
- Control Panel : On / Off Switch, Mains Indicator etc.
- The whole Set-up is well designed and arranged in a good quality painted Structure

Note: Specifications are subject to change.

***Tesca Technologies Pvt. Ltd.***

IT-2013, Ramchandrapura Industrial Area, Sitapura Extension,  
Near Bombay Hospital, Vidhani Circle, Jaipur-302022, Rajasthan, India,  
Tel: +91-141-2771791 / 2771792; Email: info@tesca.in, tesca.technologies@gmail.com  
Website: www.tesca.in